



Medical Radiation Exposure of the U.S. Population Greatly Increased Since the Early 1980s

In 2006, Americans were exposed to more than seven times as much ionizing radiation from medical procedures as was the case in the early 1980s, according to a new report on population exposure released March 3rd by the National Council on Radiation Protection and Measurements (NCRP) at its annual meeting in Bethesda, Maryland. In 2006, medical exposure constituted nearly half of the total radiation exposure of the U.S. population from all sources.

The increase was primarily a result of the growth in the use of medical imaging procedures, explained Dr. Kenneth R. Kase, senior vice president of NCRP and chairman of the scientific committee that produced the report. "The increase was due mostly to the higher utilization of computed tomography (CT) and nuclear medicine. These two imaging modalities alone contributed 36 percent of the total radiation exposure and 75 percent of the medical radiation exposure of the U.S. population." The number of CT scans and nuclear medicine procedures performed in the United States during 2006 was estimated to be 67 million and 18 million, respectively.

The NCRP Report No. 160, *Ionizing Radiation Exposure of the Population of the United States*, provides a complete review of all radiation exposures for 2006.


Background radiation, which in 2006 contributed fully half of the total exposure, comes from natural radiation in soil and rocks, radon gas which seeps into homes and other buildings, plus radiation from space and radiation sources that are found naturally within the human body.

Other small contributors of exposure to the U.S. population included consumer products and activities, industrial and research uses and occupational tasks.

NCRP is working with some of its partners like the American College of Radiology (ACR), World Health Organization and others to address radiation exposure resulting from the significant growth in medical imaging and to ensure that referrals for procedures like CT and nuclear medicine are based on objective, medically relevant criteria (*e.g.*, ACR appropriateness criteria).

This year marks the 80th anniversary of NCRP's founding and the 45th anniversary of its charter from the U.S. Congress under Public Law 88-376.

All Exposure Categories Collective Effective Dose (percent), 2006



A limited number of prepublication copies of Report No. 160 will be available during the NCRP annual meeting on March 2-3, 2009. The final Report will be available from the NCRP website, <http://NCRPpublications.org>, in both soft- and hardcopy formats. For additional information contact David A. Schauer, ScD, CHP at schauer@NCRPonline.org, 301.657.2652 (x20) or 301.907.8768 (fax).